

Safety Data Sheet

Issue Date 28-Jan-2023

Revision/Review Date: 28-Jan-2023

Version 1.0

1. IDENTIFICATION

Product Identifier

Product Name WePak Oven & Grill Cleaner

Other Means of Identification

Product Code 700550

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Drain opener RTU. For industrial and institutional use.

Details of the Supplier of the Safety Data Sheet

WePak LLC
140 Private Brand Way
Athens, TN 37303

Emergency Telephone Number

Company Phone Number Phone: 1-704-334-5781
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Red

Physical State Liquid

Odor None

Classification

Acute Toxicity - Oral	Category 5
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Hazards Not Otherwise Classified (HNOC)

None known.

Signal Word

Danger



Hazard Statements

May be harmful if swallowed.
Causes skin irritation.
Causes serious eye damage.
May be corrosive to metals.

Precautionary Statements - Prevention

Keep only in original packaging.
Wash face, hands and any exposed skin thoroughly after handling. Do not touch eyes.
Wear protective gloves/eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Get medical help.
IF ON SKIN (or hair): Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs:
Get medical help.
IF SWALLOWED: Get medical help.
SPECIFIC TREATMENT: Remove from exposure and treat symptoms.
IN CASE OF SPILL: Absorb spillage to prevent material damage.

Precautionary Statements – Storage

Store in corrosive resistant container with a resistant inner liner.

Precautionary Statements - Disposal

No other specific measures identified.

Other Hazards

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Potassium Hydroxide	1310-58-3	3 - 7
Disodium Cocoamphodipropionate	68604-71-7	1-5
Sodium Silicate	1344-09-8	1-5
Tetrasodium EDTA	64-02-8	0.5-1.5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.s

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Skin Contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if necessary.
Ingestion	Never give anything by mouth to an unconscious person. Clean mouth with water and drink afterwards plenty of water. Get medical advice/attention.

Most Important Symptoms and Effects

Symptoms	Causes serious eye damage. Causes skin burns. Prolonged or repeated exposure can remove natural skin oils and may produce irritation.
-----------------	--

Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to Physician	Treat symptomatically. May aggravate pre-existing skin disorders and pulmonary diseases.
---------------------------	--

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO₂). Water. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

Heat is liberated when this product is mixed with water, which can result in splattering or dangerous mists.

Hazardous Combustion Products

Normal products of combustion.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

- Personal Precautions** Wear protective clothing as described in Section 8 of this safety data sheet.
- Environmental Precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13, Disposal Considerations, for additional information. See Section 12 for additional Ecological Information.

Methods and Material for Containment and Cleaning Up

- Methods for Containment** Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
- Methods for Clean-Up** Contain and collect with an inert absorbent and place into an appropriate container for disposal. Rinse area with clean water and dry before permitting traffic.

7. HANDLING AND STORAGE

Precautions for Safe Handling

- Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. For industrial and commercial use only. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Take off all contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for Safe Storage, Including Any Incompatibilities

- Storage Conditions** Keep container tightly closed and store in a cool, dry and well-ventilated place. Protect from freezing. Keep out of the reach of children. Store locked up away from strong oxidants, acids, metals and food.
- Incompatible Materials** Strong oxidants, acids and metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide 1310-73-2	-	TWA: 2 mg/m ³	-
Tetrasodium EDTA 64-02-8	-	C: 2 mg/m ³	-

Appropriate Engineering Controls

- Engineering Controls** Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. Good general room ventilation (equivalent to outdoors) should be adequate under normal conditions.

Individual Protection Measures, such as Personal Protective Equipment

- Eye/Face Protection** Use chemical splash goggles or glasses as necessary to prevent contact.
- Skin and Body Protection** Chemical resistant, impermeable gloves. Wear suitable protective clothing.
- Respiratory Protection** Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection.

- General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing before

reuse. Contaminated work clothing should not be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	Liquid	Odor	None
Appearance	Clear	Odor Threshold	Not determined
Color	Red		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	>13.0	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	Not determined	
Flash Point	Not applicable	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Liquid-not applicable	
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not applicable	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	1.09	
Water Solubility	Completely soluble	@ 25 °C (77 °F)
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not an explosive	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children. Isolate from extreme heat and open flame. Keep from freezing.

Incompatible Materials

Reacts with water generating heat. Reacts violently with acids. Attacks many plastics, rubber, coatings, and metals (such as aluminum, zinc, tin and lead. Reacts with ammonium salts. Incompatible with nitrogen containing organics, chlorinated alkenes, carbohydrates, phosphorus, explosives, organic peroxides, and per sulfates. Absorbs carbon dioxide and water from the air.

Hazardous Decomposition Products

Thermal decomposition can produce potassium oxide, sodium oxide, sodium hydroxide, hydrogen chloride, and phosgene. Carbon monoxide can be produced when mixed with carbohydrates and chloroacetylene when mixed with chlorinated alkenes and heat.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact Causes serious eye damage.

Skin Contact	Causes skin burns.
Inhalation	Avoid breathing vapors or mists.
Ingestion	May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium Hydroxide 1310-58-3	= 273 mg/kg (Rat)	-	-
Sodium Silicate 1344-09-8	=1960 mg/kg (Rat)	>4640 mg/kg (Rabbit)	-
Tetrasodium EDTA 64-02-8	>1780 mg/kg (Rat)	>5000 mg/kg (Rabbit)	-

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Sensitization None known.

Carcinogenicity Not classifiable as a human carcinogen.

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

None known.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Potassium Hydroxide 1310-58-3	-	80 mg/L 96hr: mosquito fish	-	-
Sodium Silicate 1344-09-8		3185 mg/L LC50 Brachydanio rerio 96h semi-static mg/L LC50 Lepomis macrochirus 96h	-	216 mg/L EC50
Tetrasodium EDTA 64-02-8		100 mg/L 96hr: Pimephales promelas (fathead minnow)		

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods**

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Gallon containers or Larger: UN3266, Corrosive Liquid, Basic, Inorganic, NOS(Containing Potassium Hydroxide), 8, PG II Quart Bottles or Smaller: Limited Quantity
IATA	
IMDG	

15. REGULATORY INFORMATION

International Inventories

Canada – Domestic Substances List (DSL)	All ingredients are listed or exempt.
TSCA (Toxic Substances Control Act)	All ingredients are listed or exempt.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide 1310-58-3	1000 lb		RQ 1000 lb

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Reactive Hazard	Yes

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
None known			

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb			X

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	State List
Potassium Hydroxide 1310-58-3	MA, NJ, PA, RI

- | | |
|--|--|
| AZ- Arizona Ambient Air Quality Guidelines | IL- Illinois Toxic Air Contaminant- Carcinogenic |
| CT- Connecticut Hazardous Air Pollutants | MA- Massachusetts Right to Know List |
| CA- California Director's List of Hazardous Substances | MN- Minnesota Hazardous Substances List |
| CAP65- California Prop65 | NJ- New Jersey Right to Know List |
| FL- Florida Substances List | PA- Pennsylvania Right to Know List |
| ID- Idaho Non-Carcinogen Toxic Air Pollutants | RI- Rhode Island Hazardous Substances List |

16. OTHER INFORMATION

NEPA	Health Hazards Not determined	Flammability Not determined	Instability Not determined	Special Hazards Not determined
HMIS	Health Hazards 3	Flammability 0	Physical Hazards 0	Personal Protection Safety glasses, gloves

Issue Date: 28-Jan-2023
 Revision/Review Date: 28-Jan-2023
 Revision Note: Version 1.0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

*Denotes changes from last version.

End of Safety Data Sheet