

DRAIN CONDITIONER



DESCRIPTION

Keeps drains free and flowing. Removes all organic obstructions.

DIRECTIONS

Removes all organic obstructions: Grease, Hair, Coffee Grounds, Soap, Sludge, Rags, Paper, Food, etc.

DRAINS, COMPLETELY CLOGGED: Remove any standing water and slowly pour 16 ounces in drain—let stand for 45 minutes. If necessary repeat treatment and let stand 45 minutes. For large drains, several treatments may be required and let stand over night before flushing with water.

DRAINS, SEMI-CLOGGED: Slowly pour 8 ounces in drain—let stand for 30 minutes. If necessary repeat treatment; after last application, flush thoroughly with water.

When used each week **WEPAK DRAIN CONDITIONER** can save time, work and money.

WARNING

DO NOT USE IN ALUMINUM VESSELS. DO NOT MIX WITH OTHER CHEMICALS. RINSE EMPTY CONTAINER WITH WATER AND DISCARD IN SAFE PLACE. DO NOT REUSE CONTAINER.

APPLICATIONS

Product for Use In:

>Drains

SPECIFICATIONS

ColorColorless
FragranceNone
pH Range..... 12.5 - 13.0
Dilution..... RTU
Density..... 11.67

PACKAGING

ITEM#.....SIZE

700380-12.....12/1 Qt.

WEPAKTM
LLC
140 PRIVATE BRAND WAY • ATHENS, TN 37303
800.438.4270